


GENERAL NOTES

1. PROPANE TANK MUST BE A MINIMUM OF 18' FROM ANY BUILDING EXTERIOR
2. 3' CLEARANCE REQUIRED BETWEEN AIR CONDITIONING UNIT AND FENCE
3. CONCRETE FOOTINGS UNDER BUILDINGS ARE 2' L x 8' (W) x 2' (H)
4. SEE MANUFACTURER DETAILS FOR TOWER FOUNDATION SPECIFICATIONS

REVIEWED FOR CODE COMPLIANCE 08/07/2024

LEGEND

- 6' CHAIN LINK FENCE WITH BARBED WIRE
- LEASE LINE
- HIDDEN LINE
- CONCRETE FOUNDATION
- POWER LINE
- 2x 1-1/4" DUCT
- RF NOTICE SIGN
- RF CAUTION SIGN
- NO SMOKING SIGN
- COMPANY IDENTIFIER (UTC)
- PROPANE LABEL (P)
- ASR SIGNAGE (ASR)
- NEW EQUIPMENT (Orange)
- REMOVED EQUIPMENT (Purple)
- COLO EQUIPMENT (Cyan)



1 COMMUNICATION SITE PLAN VIEW
 C1 SCALE: 1/8" = 1'

Union WIRELESS
 850 N. HIGHWAY 414
 PO BOX 160
 MOUNTAIN VIEW, WY 82939


S&C™
 A Nokia company
 300 AIRPORT ROAD
 SUITE 1
 ELGIN, IL 60123
 WWW.S&C.COM
 312.895.4977

Kimley»Horn
 © 2020 KIMLEY-HORN AND ASSOCIATES, INC.
 3875 EMBASSY PKWY., SUITE 280
 AKRON, OH 44333
 (216) 505-7775

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY. ANY USE OR DISCLOSURE OTHER THAN THOSE AUTHORIZED BY UNION TELEPHONE COMPANY IS STRICTLY PROHIBITED.

REVISION	ISSUE DATE
A	01/19/24
0	04/16/24

DESIGNER: ECW REVIEWER: KBF



DATE: 04/18/24
 EXP: 10/31/25

PROJECT NAME:
OAK CREEK COAL

PROJECT ADDRESS:
 29920 COUNTY ROAD 27
 OAK CREEK, ROUTT COUNTY,
 CO 80467

SHEET TITLE:
 PLAN VIEW

SHEET NUMBER:
 C1