

The Home Depot Special Order Quote

Customer Agreement #: H6002-160255
Printed Date: 3/2/2025

5031

Customer: JERRY SATHER

Address: 6710 MOORES RD

HAYDEN, CO 81639

Phone: 970-276-2081

Email: DIANEGALESATHER@GMAI

L.COM

Store: 6002

Associate:

Address: 1740 Fleischli Pkwy

Cheyenne, WY 82001

Phone: (307)632-2897

Pre-Savings Total:

\$6,667.26

Total Savings:


(\$0.00)

Pre-Tax Price:

\$6,667.26

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.





RO Size = 50 1/4" x 53 1/2" Unit Size = 49 3/4" x 53"

Catalog Version 274

Line Number	r Item/Summary	Room Location	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	100 Series Gliding XO/OX, Enhanced Performance, Active/Stationary (XO), Rough Opening 50.25 x 53.5, 49.75 x 53, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Dark Bronze, Auto Lock Hardware	master	\$738.24	\$738.24	1	\$0.00	\$738.24
100-2	Insect Screen 1: 100 Series Gliding XO/OX, 100GXO 49.75 x 53 Full Screen TruScene Dark Bronze Version:02/24/2025	master	\$162.96	\$162.96	1	\$0.00	\$162.96
	Unit 100 Total:		\$901.20	\$901.20	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	\$0.00	\$901.20

Begin Line 100 Descriptions

---- Line 100-1 ----

100 Series Gliding XO/OX Overall Rough Opening = 50 1/4" x 53 1/2" Overall Unit = 49 3/4" x 53" Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 49 3/4 Frame Height = 53 Frame Option = 1 3/8" Setback Venting / Handing = Active/Stationary (XO) Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze Interior Frame Finish Color = Dark Bronze Interior Sash / Panel Finish Color = Dark Bronze Glass Construction Type = Dual Pane
Glass Option = Low-E PassiveSun HeatLock
High Altitude Breather Tubes = Yes
Glass Strength = Standard
Glass Tint = No Tint
Specialty Glass = None
Gas Fill = Air
Glass / Grille Spacer Color = Stainless
None
Hardware Style = Auto Lock
Lock Hardware Style = Andersen 100 Series

None
Hardware Style = Auto Lock
Lock Hardware Style = Andersen 100 Series
Number of Sash Locks = 2
Lock Hardware Color/Finish = Dark Bronze
Window Opening Control Device = No
Insect Screen Type = Full Screen
Insect Screen Material = TruScene


Insect Screen Color = Dark Bronze

Installation Material Options = No
Re-Order Item = No
Room Location = master
Unit U-Factor = 0.29
Unit Solar Heat Gain Coefficient (SHGC) = 0.47
Unit CPD Number = AND-N-81-02394-00001
U.S. ENERGY STAR® Certified = No
Clear Opening Width = 21.164
Clear Opening Height = 49.5
Clear Opening Area = 7.2751
SKU = 1008729623
Vendor Name = S/O ANDERSEN LOGISTICS
Vendor Number = 60509030
Customer Service = (888) 888-7020

Vendor Name = S/O ANDERSEN LOGISTIC Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S SINGLEHUNG/GLIDING WINDOW

---- Line 100-2 Description is the same as line 100-1 ----





RO Size = 50 1/4" x 53 1/2" Unit Size = 49 3/4" x 53"

Catalog Version 274

Line Numbe	r Item Summary	Room Location	Was Price	Now Price	Quantity	Total Savings	Total Price
200-1	100 Series Gliding XO/OX, Enhanced Performance, Stationary/Active (OX), Rough Opening 50.25 x 53.5, 49.75 x 53, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Dark Bronze, Auto Lock Hardware	Bed 1	\$738.24	\$738.24	1	\$0.00	\$738.24
200-2	Insect Screen 1: 100 Series Gliding XO/OX, 100GOX 49.75 x 53 Full Screen TruScene Dark Bronze Version:02/24/2025	Bed 1	\$162.96	\$162.96	1	\$0.00	\$162.96
	Unit 200 Total:		\$901.20	\$901.20		\$0.00	\$901.20

Begin Line 200 Descriptions

---- Line 200-1 ----

100 Series Gliding XO/OX Overall Rough Opening = 50 1/4" x 53 1/2" Overall Unit = 49 3/4" x 53" Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 49 3/4 Frame Height = 53 Frame Option = 1 3/8" Setback Venting / Handing = Stationary/Active (OX) Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze Interior Frame Finish Color = Dark Bronze

Interior Sash / Panel Finish Color = Dark Bronze

Glass Construction Type = Dual Pane Glass Option = Low-E PassiveSun HeatLock High Altitude Breather Tubes = Yes Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Air Glass / Grille Spacer Color = Stainless None Hardware Style = Auto Lock Lock Hardware Style = Andersen 100 Series Number of Sash Locks = 2 Lock Hardware Color/Finish = Dark Bronze Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = TruScene Insect Screen Color = Dark Bronze


Re-Order Item = No Room Location = Bed 1 Unit U-Factor = 0.29 Unit Solar Heat Gain Coefficient (SHGC) = 0.47 Unit CPD Number = AND-N-81-02394-00001 U.S. ENERGY STAR® Certified = No Clear Opening Width = 21.164 Clear Opening Height = 49.5 Clear Opening Area = 7.2751 SKU = 1008729623 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S SINGLEHUNG/GLIDING WINDOW

Installation Material Options = No

---- Line 200-2 Description is the same as line 200-1 ----

End Line 200 Descriptions





RO Size = 42 1/2" x 46 1/4" Unit Size = 42" x 45 3/4"

Line Number Item Summary

Room Location Was Price Now Price Quantity Total Savings Total Price

300-1	100 Series Gliding XO/OX, Enhanced Performance, Active/Stationary (XO), Rough Opening 42.5 x 46.25, 42 x 45.75, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Dark Bronze, Auto Lock Hardware	Master	\$631.44	\$631.44	1	\$0.00	\$631.44
300-2	Insect Screen 1: 100 Series Gliding XO/OX, 100GXO 42 x 45.75 Full Screen TruScene Dark Bronze Version:02/24/2025	Master	\$149.76	\$149.76	1	\$0.00	\$149.76
	Unit 300 Total:		\$781.20	\$781.20		\$0.00	\$781.20

Begin Line 300 Descriptions

---- Line 300-1 ----

100 Series Gliding XO/OX Overall Rough Opening = 42 1/2" x 46 1/4" Overall Unit = 42" x 45 3/4" Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 42 Frame Height = 45 3/4 Frame Option = 1 3/8" Setback Venting / Handing = Active/Stationary (XO) Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze Interior Frame Finish Color = Dark Bronze

Interior Sash / Panel Finish Color = Dark Bronze


Glass Construction Type = Dual Pane Glass Option = Low-E PassiveSun HeatLock High Altitude Breather Tubes = Yes Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Air Glass / Grille Spacer Color = Stainless None Hardware Style = Auto Lock Lock Hardware Style = Andersen 100 Series Number of Sash Locks = 1 Lock Hardware Color/Finish = Dark Bronze Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = TruScene Insect Screen Color = Dark Bronze ---- Line 300-2 Description is the same as line 300-1 ----

Installation Material Options = No Re-Order Item = No Room Location = Master Unit U-Factor = 0.29 Unit Solar Heat Gain Coefficient (SHGC) = 0.47 Unit CPD Number = AND-N-81-02394-00001 U.S. ENERGY STAR® Certified = No Clear Opening Width = 17.289 Clear Opening Height = 42.25 Clear Opening Area = 5.0726 SKU = 1008729623 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S SINGLEHUNG/GLIDING WINDOW

End Line 300 Descriptions







RO Size = 42 1/4" x 46 1/4" Unit Size = 41 3/4" x 45 3/4"

Line Number	ltem Summary	Room Location	Was Price	Now Price (Quantity	Total Savings	Total Price
400-1	100 Series Gliding XO/OX, Enhanced Performance, Active/Stationary (XO), Rough Opening 42.25 x 46.25, 41.75 x 45.75, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Dark Bronze, Auto Lock Hardware	Bed 1	\$631.44	\$631.44	1	\$0.00	\$631.44
400-2	Insect Screen 1: 100 Series Gliding XO/OX, 100GXO 41.75 x 45.75 Full Screen TruScene Dark Bronze Version:02/24/2025	Bed 1	\$149.76	\$149.76	1	\$0.00	\$149.76
	Unit 400 Total:		\$781.20	\$781.20		\$0.00	\$781.20

Begin Line 400 Descriptions

---- Line 400-1 ----

100 Series Gliding XO/OX Overall Rough Opening = 42 1/4" x 46 1/4" Overall Unit = 41 3/4" x 45 3/4"

Glass Construction Type = Dual Pane Glass Option = Low-E PassiveSun HeatLock High Altitude Breather Tubes = Yes

Installation Material Options = No Re-Order Item = No Room Location = Bed 1

Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 41 3/4 Frame Height = 45 3/4 Frame Option = 1 3/8" Setback Venting / Handing = Active/Stationary (XO) Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze

Interior Frame Finish Color = Dark Bronze


Interior Sash / Panel Finish Color = Dark Bronze

Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Air Glass / Grille Spacer Color = Stainless None Hardware Style = Auto Lock Lock Hardware Style = Andersen 100 Series Number of Sash Locks = 1 Lock Hardware Color/Finish = Dark Bronze Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = TruScene Insect Screen Color = Dark Bronze

Unit U-Factor = 0.29 Unit Solar Heat Gain Coefficient (SHGC) = 0.47 Unit CPD Number = AND-N-81-02394-00001 U.S. ENERGY STAR® Certified = No Clear Opening Width = 17.164 Clear Opening Height = 42.25 Clear Opening Area = 5.036 SKU = 1008729623 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S SINGLEHUNG/GLIDING WINDOW

---- Line 400-2 Description is the same as line 400-1 ----

End Line 400 Descriptions





RO Size = 21 3/4" x 38 1/4" Unit Size = 21 1/4" x 37 3/4"

Line Numbe	r Item Summary	Room Location	Was Price	Now Price	Quantity	Total Savings	Total Price
500-1	100 Series Single Casement-CW, Enhanced Performance, Left, Rough Opening 21.75 x 38.25, 21.25 x 37.75, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Dark Bronze, Folding Hardware, Hinge with Wash Mode	Upstairs bath	\$559.02	\$559.02	1	\$0.00	\$559.02
500-2	Insect Screen 1: 100 Series Single Casement-CW, 100CS 21.25 x 37.75 Full Screen TruScene Dark Bronze Version:02/24/2025	Upstairs bath	\$114.36	\$114.36	1	\$0.00	\$114.36
	Unit 500 Total:		\$673.38	\$673.38		\$0.00	\$673.38

Begin Line 500 Descriptions

---- Line 500-1 ----

100 Series Single Casement-CW Overall Rough Opening = 21 3/4" x 38 1/4" Overall Unit = 21 1/4" x 37 3/4" Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 21 1/4 Frame Height = 37 3/4 Frame Option = 1 3/8" Setback Venting / Handing = Left Hinge Style = Hinge with Wash Mode Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze Interior Frame Finish Color = Dark Bronze

Interior Sash / Panel Finish Color = Dark Bronze Glass Construction Type = Dual Pane Glass Option = Low-E PassiveSun HeatLock High Altitude Breather Tubes = Yes Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Air Glass / Grille Spacer Color = Stainless Hardware Style = Folding Number of Sash Locks = 1 Lock Hardware Color/Finish = Dark Bronze Corrosion Resistant Hardware = None Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = TruScene


Installation Material Options = No Re-Order Item = No Room Location = Upstairs bath Unit U-Factor = 0.27 Unit Solar Heat Gain Coefficient (SHGC) = 0.42 Unit CPD Number = AND-N-84-02656-00001 U.S. ENERGY STAR® Certified = No Clear Opening Width = 9.147 Clear Opening Height = 32.056 Clear Opening Area = 2.0362 SKU = 1008729624 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S CASEMENT/AWNING

Insect Screen Color = Dark Bronze

---- Line 500-2 Description is the same as line 500-1 ----

End Line 500 Descriptions -





RO Size = 35 1/4" x 24" Unit Size = 34 3/4" x 23 1/2"

Catalog Version 274

Line Numbe	r Item Summary	Room Location	Was Price	Now Price	Quantity	Total Savings	Total Price
600-1	100 Series Gliding XO/OX, Enhanced Performance, Active/Stationary (XO), Rough Opening 35.25 x 24, 34.75 x 23.5, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Dark Bronze, Auto Lock Hardware	Basement	\$440.64	\$440.64	1	\$0.00	\$440.64
600-2	Insect Screen 1: 100 Series Gliding XO/OX, 100GXO 34.75 x 23.5 Full Screen TruScene Dark Bronze Version:02/24/2025	Basement	\$110.10	\$110.10	1	\$0.00	\$110.10
	Unit 600 Total:		\$550.74	\$550.74		\$0.00	\$550.74

Begin Line 600 Descriptions

---- Line 600-1 ----

100 Series Gliding XO/OX Overall Rough Opening = 35 1/4" x 24" Overall Unit = 34 3/4" x 23 1/2" Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 34 3/4 Frame Height = 23 1/2 Frame Option = 1 3/8" Setback Venting / Handing = Active/Stationary (XO) Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze Interior Frame Finish Color = Dark Bronze Interior Sash / Panel Finish Color = Dark Bronze


Glass Construction Type = Dual Pane Glass Option = Low-E PassiveSun HeatLock High Altitude Breather Tubes = Yes Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Air Glass / Grille Spacer Color = Stainless None Hardware Style = Auto Lock Lock Hardware Style = Andersen 100 Series Number of Sash Locks = 1 Lock Hardware Color/Finish = Dark Bronze Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = TruScene Insect Screen Color = Dark Bronze

Installation Material Options = No Re-Order Item = No Room Location = Basement Unit U-Factor = 0.29 Unit Solar Heat Gain Coefficient (SHGC) = 0.47 Unit CPD Number = AND-N-81-02394-00001 U.S. ENERGY STAR® Certified = No Clear Opening Width = 13.664 Clear Opening Height = 20 Clear Opening Area = 1.8978 SKU = 1008729623 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S SINGLEHUNG/GLIDING WINDOW

---- Line 600-2 Description is the same as line 600-1 ----

End Line 600 Descriptions





RO Size = 47 1/4" x 33 1/2" Unit Size = 46 3/4" x 33"

Line Number Item Summary

Room Location Was Price Now Price Quantity Total Savings

XO/OX, 10 Screen Tru	een 1: 100 Series Gliding 00GXO 46.75 x 33 Full uScene Dark Bronze 2/24/2025	Dining	\$136.56	\$136.56	1	\$0.00	\$136.56

Begin Line 700 Descriptions

---- Line 700-1 ----

100 Series Gliding XO/OX Overall Rough Opening = 47 1/4" x 33 1/2" Overall Unit = 46 3/4" x 33" Installation Zip Code = 81639 U.S. ENERGY STAR® Climate Zone = Northern Enhanced Performance = Yes - PG50 Search by Unit Code = No Standard Width = Custom Standard Height = Custom Frame Width = 46 3/4 Frame Height = 33 Frame Option = 1 3/8" Setback Venting / Handing = Active/Stationary (XO) Exterior Frame Color = Dark Bronze Exterior Sash / Panel Color = Dark Bronze Interior Frame Finish Color = Dark Bronze

Interior Sash / Panel Finish Color = Dark Bronze

Glass Construction Type = Dual Pane Glass Option = Low-E PassiveSun HeatLock High Altitude Breather Tubes = Yes Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Air Glass / Grille Spacer Color = Stainless None Hardware Style = Auto Lock Lock Hardware Style = Andersen 100 Series Number of Sash Locks = 1 Lock Hardware Color/Finish = Dark Bronze Window Opening Control Device = No Insect Screen Type = Full Screen Insect Screen Material = TruScene Insect Screen Color = Dark Bronze


Installation Material Options = No Re-Order Item = No Room Location = Dining Unit U-Factor = 0.29 Unit Solar Heat Gain Coefficient (SHGC) = 0.47 Unit CPD Number = AND-N-81-02394-00001 U.S. ENERGY STAR® Certified = No Clear Opening Width = 19.664 Clear Opening Height = 29.5 Clear Opening Area = 4.0284 SKU = 1008729623 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 02/24/2025 SKU Description = S/O 100S SINGLEHUNG/GLIDING WINDOW

---- Line 700-2 Description is the same as line 700-1 ----

End Line 700 Descriptions







RO Size = 42 3/4" x 46 1/2" Unit Size = 42" x 45 3/4"

e Manualde	r Item Summary	Room Location	Was Price	Now Price	Quantity	Total Savings	Total Price
800-1	Unit 1: 100 Series Single Casement- CW Unit 2: 100 Series Picture/Transom-CW, Enhanced Performance, Unit 1: Left, Unit 2: Fixed, Row 1: 29.5 x 45.75, Row 2: 12 x 45.75, Dark Bronze w/Dark Bronze Sash / Frame: Dark Bronze Unit 1: Dark Bronze Unit 2: Folding Hardware, Hinge for Widest Clear Opening		\$1,222.86	\$1,222.86	1	\$0.00	\$1,222.80
800-2	Insect Screen 1: 100 Series Single Casement-CW, 100CS 29.5 x 45.75 Full Screen TruScene Dark Bronze Version:02/24/2025		\$151.08	\$151.08	1	\$0.00	\$151.08

---- Line 800-1 ----

Unit 1: 100 Series Single Casement-CW Unit 2: 100 Series Picture/Transom-CW

Overall Joined Rough Opening = 42 3/4" x 46 1/2"

Overall Joined Unit = 42" x 45 3/4" Installation Zip Code = 81639

U.S. ENERGY STAR® Climate Zone = Northern

Enhanced Performance = Yes - PG50

Search by Unit Code = No

Unit 1: Standard Width = 100CS26XX - RO: 30" |

UNIT: 29 1/2"

Unit 1: Standard Height = Custom
Unit 1: Frame Width = 29 1/2
Unit 1: Frame Height = 45 3/4
Unit 2: Standard Width = Custom
Unit 2: Standard Height = Custom

Unit 2: Frame Width = 12 Unit 2: Frame Height = 45 3/4

Unit 1: Frame Option = 13/8" Setback

Unit 1: Venting / Handing = Left

Unit 1: Hinge Style = Hinge for Widest Clear

Opening

Unit 2: Frame Option = 1 3/8" Setback

Unit 2: Venting / Handing = Fixed

Unit 1: Exterior Frame Color = Dark Bronze

Unit 1: Exterior Sash / Panel Color = Dark Bronze

Unit 1: Interior Frame Finish Color = Dark Bronze
Unit 1: Interior Sash / Panel Finish Color = Dark

Bronze

Unit 2: Exterior Frame Color = Dark Bronze

Unit 2: Interior Frame Finish Color = Dark Bronze Glass Construction Type = Dual Pane

Glass Option = Low-E PassiveSun HeatLock

High Altitude Breather Tubes = Yes

Glass Strength = Standard Glass Tint = No Tint

Specialty Glass = None

Gas Fill = Air

Glass / Grille Spacer Color = Stainless

None

Hardware Style = Folding Number of Sash Locks = 1

Lock Hardware Color/Finish = Dark Bronze Corrosion Resistant Hardware = None Window Opening Control Device = No

Insect Screen Type = Full Screen
Insect Screen Material = TruScene
Insect Screen Color = Dark Bronze

Joining Option = Nonreinforced Join - Factory

Assembled

Installation Material Options = No

Re-Order Item = No Room Location =

Unit 1: Unit U-Factor = 0.27

Unit 1: Unit Solar Heat Gain Coefficient (SHGC) =

0.42

Unit 1: Unit CPD Number = AND-N-84-02656-00001

Unit 1: U.S. ENERGY STAR® Certified = No

Unit 1: Clear Opening Width = 21.71 Unit 1: Clear Opening Height = 40.056

Unit 1: Clear Opening Reight = 40.03

Unit 2: Unit U-Factor = 0.26

Unit 2: Unit Solar Heat Gain Coefficient (SHGC) =

0.49

Unit 2: Unit CPD Number = AND-N-82-11590-

00001

Unit 2: U.S. ENERGY STAR® Certified = Yes

Drip Cap Part Number = 9020502

Vertical Factory

0.5" thick, 45.75" length Unit 1: SKU = 1008729624

Unit 1: Vendor Name = S/O ANDERSEN LOGISTICS

Unit 1: Vendor Number = 60509030

Unit 1: Customer Service = (888) 888-7020

Unit 1: Catalog Version Date = 02/24/2025

Unit 1: SKU Description = S/O 100S

CASEMENT/AWNING

Unit 2: SKU = 1008729625

Unit 2: Vendor Name = S/O ANDERSEN LOGISTICS

Unit 2: Vendor Number = 60509030

Unit 2: Customer Service = (888) 888-7020

Unit 2: Catalog Version Date = 02/24/2025 Unit 2: SKU Description = S/O 100S PICTURE

WINDOW

---- Line 800-2 Description is the same as line 800-1 ----

End Line 800 Descriptions