

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM
System #: 551361280
Order #: 2016134
Order Date: 04/19/2018
WSOneSource 1.0

Sold To: 4954

Timberline Construction
Clark, CO 80428


Ship To: 4954

STEAMBOAT LUMBER #117400
1901 SHIELD DR
PO BOX 772150
STEAMBOAT SPRINGS, CO 80477

Delivery Instructions:

Deliver To:

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
1	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium		
		Price:	161.97	161.97



Premium Series Casement Rectangle 8211 3 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
0 1/16" - Vertical Spread Mull

(Viewed from Exterior)
Rough Opening 87" x 51"
Overall Jamb 86-1/2" x 50-1/2"

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
1.02	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium	Price:	648.62 648.62

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 9/32" X 51"
----- Jamb Size 28 25/32" X 50 1/2"
----- Glass Size 24 1/32" X 45 3/4"
----- Egress Unit
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
1.04	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium	Price:	585.18 585.18

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 9/32" X 51"
----- Jamb Size 28 25/32" X 50 1/2"
----- Glass Size 24 1/32" X 45 3/4"
Operating Code - Stationary
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
Factory Mull -
0 1/16" - Vertical Spread Mull

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
1.06	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium	Price:	648.62 648.62

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 9/32" X 51"
----- Jamb Size 28 25/32" X 50 1/2"
----- Glass Size 24 1/32" X 45 3/4"
----- Egress Unit
Operating Code - Right
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
2	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium		
		Price:	110.73	110.73



Premium Series Casement Rectangle 8211 2 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
0 1/16" - Vertical Spread Mull

(Viewed from Exterior)
Rough Opening 59" x 51"
Overall Jamb 58-1/2" x 50-1/2"

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
2.02	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium	Price:	650.21 650.21

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 23/32" X 51"
----- Jamb Size 29 7/32" X 50 1/2"
----- Glass Size 24 15/32" X 45 3/4"
----- Egress Unit
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
2.04	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium	Price:	650.21 650.21

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 23/32" X 51"
----- Jamb Size 29 7/32" X 50 1/2"
----- Glass Size 24 15/32" X 45 3/4"
----- Egress Unit
Operating Code - Right
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
3	1	P.O.: 10046785 Location: Lower Bedroom Job: Hinman-Premium	Price:	714.43 714.43



Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 30 1/2" X 51"
----- Jamb Size 30" X 50 1/2"
----- Glass Size 25 1/4" X 45 3/4"
----- Egress Unit
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
No Field Prepping

(Viewed from Exterior)
Rough Opening 30-1/2" x 51"
Overall Jamb 30" x 50-1/2"

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
4	1	P.O.: 10046785 Location: Kitchen Job: Hinman-Premium		
		Price:	93.32	93.32



Premium Series Casement Rectangle 8211 2 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
0 1/16" - Vertical Spread Mull

(Viewed from Exterior)
Rough Opening 59" x 27"
Overall Jamb 58-1/2" x 26-1/2"

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
4.02	1	P.O.: 10046785 Location: Kitchen Job: Hinman-Premium	Price:	517.79 517.79

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 23/32" X 27"
----- Jamb Size 29 7/32" X 26 1/2"
----- Glass Size 24 15/32" X 21 3/4"
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
4.04	1	P.O.: 10046785 Location: Kitchen Job: Hinman-Premium	Price:	517.79 517.79

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 23/32" X 27"
----- Jamb Size 29 7/32" X 26 1/2"
----- Glass Size 24 15/32" X 21 3/4"
Operating Code - Right
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-
00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
5	1	P.O.: 10046785 Location: Living Room Job: Hinman-Premium		
		Price:	788.97	788.97



Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 30 1/2" X 57"
----- Jamb Size 30" X 56 1/2"
----- Glass Size 25 1/4" X 51 3/4"
----- Egress Unit
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
No Field Prepping

(Viewed from Exterior)
Rough Opening 30-1/2" x 57"
Overall Jamb 30" x 56-1/2"

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
6	1	P.O.: 10046785 Location: Living Room Job: Hinman-Premium	Price:	103.48 103.48



Premium Series Casement Rectangle 8211 2 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 14" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
0 1/16" - Vertical Spread Mull

(Viewed from Exterior)
Rough Opening 62" x 38"
Overall Jamb 61-1/2" x 37-1/2"

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
6.02	1	P.O.: 10046785 Location: Living Room Job: Hinman-Premium		
			Price:	586.77 586.77

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 31 7/32" X 38"
----- Jamb Size 30 23/32" X 37 1/2"
----- Glass Size 25 31/32" X 32 3/4"
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 14" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
6.04	1	P.O.: 10046785 Location: Living Room Job: Hinman-Premium		
			Price:	586.77 586.77

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 31 7/32" X 38"
----- Jamb Size 30 23/32" X 37 1/2"
----- Glass Size 25 31/32" X 32 3/4"
Operating Code - Right
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 14" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
7	2	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium		
		Price:	627.21	1,254.42



Premium Series Casement Picture Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 31" X 51"
----- Jamb Size 30 1/2" X 50 1/2"
----- Glass Size 25 3/4" X 45 3/4"
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
No Field Prepping

(Viewed from Exterior)
Rough Opening 31" x 51"
Overall Jamb 30-1/2" x 50-1/2"

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
8	1	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium		
		Price:	788.97	788.97



Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 30 1/2" X 57"
----- Jamb Size 30" X 56 1/2"
----- Glass Size 25 1/4" X 51 3/4"
----- Egress Unit
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
No Field Prepping

(Viewed from Exterior)
Rough Opening 30-1/2" x 57"
Overall Jamb 30" x 56-1/2"

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
9	1	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium	Price:	788.97 788.97



Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 30 1/2" X 57"
----- Jamb Size 30" X 56 1/2"
----- Glass Size 25 1/4" X 51 3/4"
----- Egress Unit
Operating Code - Right
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
No Field Prepping

(Viewed from Exterior)
Rough Opening 30-1/2" x 57"
Overall Jamb 30" x 56-1/2"

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
10	1	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium		
		Price:	148.91	148.91



Premium Series Casement Rectangle 8211 3 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
0 1/16" - Vertical Spread Mull

(Viewed from Exterior)
Rough Opening 87" x 33"
Overall Jamb 86-1/2" x 32-1/2"

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
10.02	1	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium		
		Price:	548.71	548.71

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 9/32" X 33"
----- Jamb Size 28 25/32" X 32 1/2"
----- Glass Size 24 1/32" X 27 3/4"
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
10.04	1	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium Premium Series Casement Rectangle 8211 1 Wide Complete Unit ----- Mfg Date 1/14/2013 to Present ----- Frame Style Casement/Awning - Traditional See weathershield.com for PG/DP information Sizing Method Rough Opening ----- R/O Size 29 9/32" X 33" ----- Jamb Size 28 25/32" X 32 1/2" ----- Glass Size 24 1/32" X 27 3/4" Operating Code - Stationary Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605 ----- Exterior Panel/Sash Color DC-Royal Brown ----- W/2 3/16" Bottom Rail - ----- W/Frame Nailing Fin 6 9/16" Jamb Depth - Glass Supplier - Weather Shield Zo-E Shield 5 ----- W/EasyCare Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat Black ----- Black Warm Edge Spacer ----- W/Capillary Tubes 1 Lite - Factory Mull - 0 1/16" - Vertical Spread Mull	Price: 485.27	485.27

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM

System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
10.06	1	P.O.: 10046785 Location: Upper Bedroom Job: Hinman-Premium		
			Price:	548.71 548.71

Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 29 9/32" X 33"
----- Jamb Size 28 25/32" X 32 1/2"
----- Glass Size 24 1/32" X 27 3/4"
Operating Code - Right
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
Factory Mull -
0 1/16" - Vertical Spread Mull

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
11	1	P.O.: 10046785 Location: Bathroom Job: Hinman-Premium		
		Price:	651.79	651.79



Premium Series Casement Rectangle 8211 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Rough Opening
----- R/O Size 30 1/2" X 33"
----- Jamb Size 30" X 32 1/2"
----- Glass Size 25 1/4" X 27 3/4"
Operating Code - Left
Aluminum Clad - Putty Sash Profile - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/2 3/16" Bottom Rail -
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Tempered Glass
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
W/Standard Hardware - Traditional - Tan -
----- Nested Handle
----- 10" Adjustable Hinge -
----- Dual Arm Operator
----- W/Concealed Snubber
----- Handle/Cover/Kit Ship Separate
W/Screen - Tan - NO-SEE-UM Mesh - Shipped Loose
No Field Prepping

(Viewed from Exterior)
Rough Opening 30-1/2" x 33"
Overall Jamb 30" x 32-1/2"

Ratings:
CPD Product Number: WEA-N-286-00762-00001
U-Factor: 0.32
Solar Heat Gain Coefficient (SHGC): 0.2
Visible Transmittance (VT): 0.44
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
12	2	P.O.: 10046785 Location: Trapezoid-Left Job: Hinman-Premium	Price:	723.95 1,447.90



Premium Series Direct Set Trapezoid 8306 Direct Set 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Jb to Jb/Frame Size
----- R/O Size 31" X 38 31/32" X 18 1/2"
----- Jamb Size 30 1/2" X 38 1/4" X 18 1/8"
----- Glass Size 27 3/4" X 34 5/16"
----- Left Window Orientation - 7 29/32" /12 Pitch
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
No Field Prepping

(Viewed from Exterior)
Rough Opening 31" x 38-31/32"
Overall Jamb 30-1/2" x 38-1/4"

Ratings:
CPD Product Number: WEA-N-281-00988-0001
U-Factor: 0.31
Solar Heat Gain Coefficient (SHGC): 0.24
Visible Transmittance (VT): 0.56
Energy Star: South

WEATHER SHIELD.

WINDOWS & DOORS

P.O. Box 309 Medford, WI 54451
weathershield.com

ORDER ACKNOWLEDGEMENT

Printed: 05/08/2018 02:22 PM


System #: 551361280

Order #: 2016134

Order Date: 04/19/2018

WSOneSource 1.0

LINE #	QUANTITY	ATTRIBUTES	UNIT	EXTENDED
13	2	P.O.: 10046785 Location: Trapezoid Right Job: Hinman-Premium		
		Price:	723.95	1,447.90



Premium Series Direct Set Trapezoid 8306 Direct Set 1 Wide
Complete Unit
----- Mfg Date 1/14/2013 to Present
----- Frame Style Casement/Awning - Traditional
See weathershield.com for PG/DP information
Sizing Method Jb to Jb/Frame Size
----- R/O Size 31" X 38 31/32" X 18 1/2"
----- Jamb Size 30 1/2" X 38 1/4" X 18 1/8"
----- Glass Size 27 3/4" X 34 5/16"
----- Right Window Orientation - 7 29/32" /12 Pitch
Aluminum Clad - - DC-Royal Brown - AAMA 2605
----- Exterior Panel/Sash Color DC-Royal Brown
----- W/Frame Nailing Fin
6 9/16" Jamb Depth -
Glass Supplier - Weather Shield
Zo-E Shield 5
----- W/EasyCare
Glazing Bead Type - Colonial - Back Side of Glazing Bead Painted Flat
Black
----- Black Warm Edge Spacer
----- W/Capillary Tubes
1 Lite -
No Field Prepping

(Viewed from Exterior)
Rough Opening 31" x 38-31/32"
Overall Jamb 30-1/2" x 38-1/4"

Ratings:
CPD Product Number: WEA-N-281-00988-0001
U-Factor: 0.31
Solar Heat Gain Coefficient (SHGC): 0.24
Visible Transmittance (VT): 0.56
Energy Star: South

Miscellaneous Charges:

Price:	15,476.54
Misc. Taxable Charges:	0.00
State Taxes:	0.00
City Taxes:	0.00
Local Taxes:	0.00
Taxes (Other):	0.00
Misc. Non-Taxable Charges:	0.00
Total Price	15,476.54

Thank you for choosing Weather Shield Windows & Doors