



<p>OWNER: PRATT, ROBERT W & ERIN D</p> <p>2. FIELD SURVEYING COMPLETED OCTOBER 21, 2021 BY FOUR POINTS SURVEYING & ENGINEERING.</p> <p>3. TOPOGRAPHIC DATA GENERATED FROM 2018 LIDAR DATA.</p> <p>4. PROPERTY CORNERS WERE FOUND AS INDICATED HEREON PER FIELD SURVEY.</p> <p>5. BENCHMARK:</p> <p>6. DIMENSIONS ARE IN FEET UNLESS OTHERWISE NOTED.</p> <p>7. ALL FINISHED BARE GROUND SURFACES SHALL RECEIVE A MINIMUM OF 6" OF NATIVE TOPSOIL FOR FINAL GRADING.</p> <p>8. ALL FINISHED AREAS SHALL BE RELATIVELY FREE OF STONES, CLODS, STICKS, AND OTHER DEBRIS.</p> <p>9. ALL FINISHED GROUND SHALL BE PROPERLY SEEDED, FERTILIZED, MULCHED AND VEGETATION ESTABLISHED PER THE LANDSCAPING PLAN.</p> <p>10. ALL FINISHED GROUND SHALL BE STABILIZED WITH ENGINEER APPROVED STRAW EROSION CONTROL BLANKET. APPLY GRASS SEED AND FERTILIZER OF OWNER'S CHOICE BEFORE AND AFTER STRAW BLANKET INSTALLATION AT THE APPROPRIATE SPECIFIC SEEDING RATE.</p> <p>11. ALL DISTURBED AREAS NOT RECEIVING GRAVEL SURFACING SHALL BE RE-VEGETATED WITHIN ONE CONSTRUCTION SEASON.</p> <p>12. ALL DETAILS PROVIDED SHALL BE ADHERED TO UNLESS OTHERWISE APPROVED BY CIVIL ENGINEER OR RECORD.</p> <p>13. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES. CALL THE UTILITY NOTIFICATION CENTER OF COLORADO (UNCC) AT 1-800-922-1987 AND ANY NECESSARY PRIVATE UTILITY TO PERFORM LOCATES PRIOR TO CONDUCTING ANY SITE WORK.</p>	<p>COMPLETED</p> <p>02/28/2022</p>
--	--

1. GRADING SHALL OCCUR WITHIN THE PROPERTY LIMITS. WHERE OFF-SITE WORK IS APPROVED, WRITTEN PERMISSION OF THE ADJACENT PROPERTY OWNER MUST BE OBTAINED PRIOR TO COMMENCING ANY GRADING OR CONSTRUCTION.

2. NO WORK SHALL OCCUR IN WETLANDS OR FLOODPLAINS WITHOUT APPROPRIATE PERMITS. ANY WORK SHALL BE IN ACCORDANCE WITH THE ISSUED PERMITS.

3. GRADING DESIGN DOES NOT CALL FOR THE CONSTRUCTION OF SLOPES GREATER THAN 2:1.

4. ALL FINISHED BARE GROUND SURFACES SHALL RECEIVE A MINIMUM OF 6" OF NATIVE TOPSOIL FOR FINAL GRADING AND SHALL BE RELATIVELY FREE OF STONES, CLODS, STICKS, AND OTHER DEBRIS.

1. CONTRACTOR SHALL WORK IN A MANNER THAT MINIMIZES THE POTENTIAL FOR EROSION.
2. CONTRACTOR SHALL PROPERLY INSTALL PERIMETER EROSION CONTROL MEASURES ON ALL DOWNSLOPE LIMITS OF DISTURBANCE (E.G. STRAW WATTLE SOCKS, SILT FENCE).
3. CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING, INSPECTING, AND MAINTAINING ANY NECESSARY EROSION AND SEDIMENT CONTROL DURING CONSTRUCTION AND REMOVING EROSION CONTROL WHEN PROJECT IS COMPLETE AND VEGETATION IS ESTABLISHED.
4. ANY AREA DISTURBED BY CONSTRUCTION AND NOT PAVED OR NATURAL ROCK SURFACE SHALL BE REVEGETATED WITHIN ONE CONSTRUCTION SEASON.

[illegible]

BOW	BOTTOM OF WALL
BLDG	BUILDING
CMP	CORRUGATED METAL PIPE
CMO	CLEANOUT
ELEV	EASEMENT
ELEC	ELECTRICAL
FE	ELEVATION
EOA	EDGE OF ASPHALT
EX	EXISTING
FES	FLARED END SECTION
FFE	FINISH FLOOR ELEVATION
FDN	FOUNDATION
FG	FINISHED GRADE
INV	INVERT
LF	LINEAR FEET
MH	MANHOLE
PR	PROPOSED
SF	SQUARE FEET
SS	SANITARY SEWER
SW	SIDEWALK
TOW	TOP OF WALL
TYP	TYPICAL
UTIL	UTILITY

AREA OF DISTURBANCE:	17,868	SQ. FT.
TOPSOIL STRIPPING:	331	CU. YDS
TOTAL CUT:	445	CU. YDS
TOTAL FILL:	1,098	CU. YDS
NET (FILL):	984	CU. YDS

NOTES:

1. TOPSOIL STRIPPING VOLUME ASSUMES AN AVERAGE TOPSOIL DEPTH OF 0.5 FEET. ACTUAL TOPSOIL DEPTH MAY VARY ACROSS THE ENTIRE AREA OF DISTURBANCE.
2. THE TOTAL CUT VOLUME INCLUDES TOPSOIL STRIPPING.
3. A FILL FACTOR OF 1.10 WAS USED FOR CUT-TO-FILL VOLUME CALCULATIONS.
4. FILL VOLUME INCLUDES NATURAL MATERIAL AND ALL IMPORT MATERIAL (E.G., GRAVEL, ASPHALT, Boulders, ETC.)
5. NET (FILLED) EXCLUDES STRIPPED TOP SOIL. STRIPPED TOP SOIL MAY ONLY BE USED FOR MINIMUM 6" LIFT ACROSS ALL DISTURBED AREAS NOT RECEIVING HARDCAPPING.

**LOT 2, DASCHLE SUBD.
26730 COUNTY ROAD 14
OAK CREEK, CO 80467**

PROPERTY BOUNDARY
ADJACENT PROPERTY BOUNDARY
BUILDING ENVELOPE
EXISTING EDGE OF ASPHALT
EXISTING 2' CONTOUR
EXISTING 10' CONTOUR
PROPOSED 2' CONTOUR
PROPOSED 10' CONTOUR
PROPOSED BUILDING FOUNDATION
PROPOSED BUILDING OVERHANG
DECK
PROPOSED DRAINAGE DITCH
PROPOSED EDGE OF DRIVEWAY
PROPOSED ASPHALT SURFACING
PROPOSED EDGE OF GRAVEL
PROPOSED GRAVEL SURFACING
PROPOSED RIP RAP
SURVEYED WETLANDS
DRY STACK BOULDER WALL
CMP CULVERT

Figure 1 shows a 1D lattice with alternating black and white squares. The top of the lattice is labeled with positions 30', 0, 15', and 30'. Below the lattice, the text $1'' = 30''$ is written.

Contour Interval = 2 ft
E: 12-13-2022
#: 2091-001
AWN BY: CFB
IGN BY: CFB
IEW BY: FPSE

IF THIS DRAWING IS PRESENTED IN A
FORMAT OTHER THAN 24" X 36", THE
GRAPHIC SCALE SHOULD BE UTILIZED

SITE PLAN

DRAWING:

SHEET #

C2