

Northwestern Supplies, Inc.

P.O. Box 775497

2505 Downhill Drive

Steamboat Springs, CO 80477

Contact: Jay Hofschulte

Phone (970) 879-9235

Email: jh@nwsupplies.net



Quote Number: 140025

PO Number: 20173

Printed Date: Jun 20, 2023 11:15 AM

Job Name: HOME RANCH LODGE

Tag Name: SNAKE RIVER - DOUG FIR

Ship To Address

Northwestern Supplies, Inc.
P.O. Box 775497
2505 Downhill Drive
Steamboat Springs, CO 80477

PERFORMANCE REPORT

Total Job Summary

	Total Sqft	Total Weighted Contribution to Entire Job	Total Weighted U-Value Average	Total Weighted SHGC Average	Total Weighted VT Average	Percentage of Total Job
All Rated Units	596.10	156.65	0.26	0.18	0.40	100.00%
Standard Rated Units	554.10	146.15	0.26	0.18	0.40	92.95%
Custom Rated Units	42.00	10.50	0.25	0.19	0.44	7.05%
Non-Rated Units	0.00					0.00%

PERFORMANCE DETAILS

Qty	Line	Product	Width	Height	Sqft Per	Sqft Total	U-Value	SHGC	VT	Weighted Contribution	CPD Number
2	1-1	28AC	35 7/16" (900mm)	35 7/16" (900mm)	8.70	17.40	0.27	0.17	0.38	4.70	LOW-N-25-11203-00001
2	1-2	28AC	35 7/16" (900mm)	35 7/16" (900mm)	8.70	17.40	0.25	0.19	0.44	4.35	LOW-N-31-18770-00001
2	1-3	28AC	35 7/16" (900mm)	35 7/16" (900mm)	8.70	17.40	0.27	0.17	0.38	4.70	LOW-N-25-11203-00001
1	5	28AC	23 5/8" (600mm)	35 7/16" (900mm)	5.80	5.80	0.27	0.17	0.38	1.57	LOW-N-25-11203-00001
1	6	28AC	23 5/8" (600mm)	35 7/16" (900mm)	5.80	5.80	0.27	0.17	0.38	1.57	LOW-N-25-11203-00001
1	7	28AC	35 7/16" (900mm)	63" (1600mm)	15.50	15.50	0.27	0.17	0.38	4.18	LOW-N-25-11203-00001
1	8	28AC	35 7/16" (900mm)	63" (1600mm)	15.50	15.50	0.27	0.17	0.38	4.18	LOW-N-25-11203-00001
1	9-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	9-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	12-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	12-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
3	15	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	17.40	0.27	0.17	0.38	4.70	LOW-N-27-11258-00001
1	16	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	17	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	18-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	18-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	21-1	28AC	33 3/8" (848mm)	23 5/8" (600mm)	5.40	5.40	0.25	0.19	0.44	1.35	LOW-N-31-18770-00001
1	21-2	28AC	33 3/8" (848mm)	23 5/8" (600mm)	5.40	5.40	0.25	0.19	0.44	1.35	LOW-N-31-18770-00001
1	21-3	18TD	66 23/32" (1695mm)	96 3/8" (2448mm)	44.60	44.60	0.27	0.16	0.37	12.04	LOW-N-114-00138-00001
1	25-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	25-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	28-1	28AC	36 3/8" (924mm)	23 5/8" (600mm)	5.90	5.90	0.25	0.19	0.44	1.48	LOW-N-31-18770-00001
1	28-2	18TD	36 3/8" (924mm)	96 3/8" (2448mm)	24.30	24.30	0.29	0.17	0.37	7.05	LOW-N-59-08791-00001
1	31-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	31-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
2	34-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	11.60	0.25	0.19	0.44	2.90	LOW-N-31-18770-00001
2	34-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	29.00	0.25	0.19	0.44	7.25	LOW-N-31-18770-00001
1	37-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	37-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
2	40	28AC	23 5/8" (600mm)	41 1/4" (1048mm)	6.70	13.40	0.27	0.17	0.38	3.62	LOW-N-25-11203-00001
2	41	28AC	23 5/8" (600mm)	41 1/4" (1048mm)	6.70	13.40	0.27	0.17	0.38	3.62	LOW-N-25-11203-00001
1	42	28AC	*	55 1/8" (1400mm)	55 1/8" (1400mm)	21.00	0.25	0.19	0.44	5.25	LOW-N-31-18770-00001
1	43	28AC	*	55 1/8" (1400mm)	55 1/8" (1400mm)	21.00	0.25	0.19	0.44	5.25	LOW-N-31-18770-00001
2	44	28AC		35 7/16" (900mm)	41 1/4" (1048mm)	10.10	0.25	0.19	0.44	5.05	LOW-N-31-18770-00001

Qty	Line	Product	Width	Height	Sqft Per	Sqft Total	U-Value	SHGC	VT	Weighted Contribution	CPD Number
2	45	28AC	59 1/16" (1500mm)	41 1/4" (1048mm)	16.90	33.80	0.25	0.19	0.44	8.45	LOW-N-31-18770-00001
1	46	28AC	47 1/4" (1200mm)	41 1/4" (1048mm)	13.50	13.50	0.25	0.19	0.44	3.38	LOW-N-31-18770-00001
1	47	28AC	59 1/16" (1500mm)	41 1/4" (1048mm)	16.90	16.90	0.25	0.19	0.44	4.22	LOW-N-31-18770-00001
1	48	28AC	35 7/16" (900mm)	41 1/4" (1048mm)	10.10	10.10	0.27	0.17	0.38	2.73	LOW-N-25-11203-00001
1	49	28AC	35 7/16" (900mm)	41 1/4" (1048mm)	10.10	10.10	0.27	0.17	0.38	2.73	LOW-N-25-11203-00001
1	50	18TD	36 3/8" (924mm)	79 17/32" (2020mm)	20.00	20.00	0.28	0.16	0.37	5.60	LOW-N-114-00018-00001
1	51	28AC	47 1/4" (1200mm)	41 1/4" (1048mm)	13.50	13.50	0.25	0.19	0.44	3.38	LOW-N-31-18770-00001

* Denotes a line item that has customization applied - rating must be verified.