

Northwestern Supplies, Inc.

P.O. Box 775497

2505 Downhill Drive

Steamboat Springs, CO 80477

Contact: Jay Hofschulte

Phone (970) 879-9235

Email: jh@nwsupplies.net



Quote Number: 141651

PO Number: 20192

Printed Date: Jun 20, 2023 11:12 AM

Job Name: HOME RANCH LODGE
KODIAK CLAD

Tag Name: SNAKE RIVER - WALNUT

Ship To Address

Northwestern Supplies, Inc.
P.O. Box 775497
2505 Downhill Drive
Steamboat Springs, CO 80477

PERFORMANCE REPORT

Total Job Summary

	Total Sqft	Total Weighted Contribution to Entire Job	Total Weighted U-Value Average	Total Weighted SHGC Average	Total Weighted VT Average	Percentage of Total Job
All Rated Units	2285.31	613.62	0.27	0.18	0.41	89.83%
Standard Rated Units	2285.31	613.62	0.27	0.18	0.41	89.83%
Custom Rated Units	0.00	0.00	0.00	0.00	0.00	0.00%
Non-Rated Units	258.60					10.17%

PERFORMANCE DETAILS

Qty	Line	Product	Width	Height	Sqft Per	Sqft Total	U-Value	SHGC	VT	Weighted Contribution	CPD Number
1	1	18TD	36 3/8" (924mm)	97 13/32" (2474mm)	24.60	24.60	0.29	0.17	0.37	7.13	LOW-N-59-08791-00001
1	2-1	28AC	36 3/8" (924mm)	23 5/8" (600mm)	5.90	5.90	0.25	0.19	0.44	1.48	LOW-N-31-18770-00001
1	2-2	18TD	36 3/8" (924mm)	97 13/32" (2474mm)	24.60	24.60	0.29	0.17	0.37	7.13	LOW-N-59-08791-00001
1	5-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	5-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	8-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	8-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	11-1	28AC	75 1/4" (1911mm)	82 11/16" (2100mm)	43.10	43.10	0	0	0	0	-
1	11-2	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	11-3	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	15-1	28AC	75 1/4" (1911mm)	82 11/16" (2100mm)	43.10	43.10	0	0	0	0	-
1	15-2	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	15-3	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
2	19-1	28AC	55 1/8" (1400mm)	82 11/16" (2100mm)	31.60	63.20	0.25	0.21	0.49	15.80	LOW-N-31-18660-00001
2	19-2	28AC	55 1/8" (1400mm)	23 5/8" (600mm)	9.00	18.00	0.27	0.17	0.38	4.86	LOW-N-27-11258-00001
1	22-1	28AC	75 1/4" (1911mm)	82 11/16" (2100mm)	43.10	43.10	0	0	0	0	-
1	22-2	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	22-3	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	26	81LS	240" (6096mm)	123" (3124mm)	202.50	202.50	0.29	0.18	0.39	58.73	LOW-N-51-18909-00001
1	27-1	28AC	75 1/4" (1911mm)	82 11/16" (2100mm)	43.10	43.10	0	0	0	0	-
1	27-2	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	27-3	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
2	31-1	28AC	55 1/8" (1400mm)	82 11/16" (2100mm)	31.60	63.20	0.25	0.21	0.49	15.80	LOW-N-31-18660-00001
2	31-2	28AC	55 1/8" (1400mm)	23 5/8" (600mm)	9.00	18.00	0.27	0.17	0.38	4.86	LOW-N-27-11258-00001
1	34-1	28AC	75 1/4" (1911mm)	82 11/16" (2100mm)	43.10	43.10	0	0	0	0	-
1	34-2	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	34-3	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	38	44PD	75 9/32" (1912mm)	106 5/16" (2700mm)	55.50	55.50	0.26	0.18	0.39	14.43	LOW-N-74-09210-00001
1	39-1	28AC	75 1/4" (1911mm)	82 11/16" (2100mm)	43.10	43.10	0	0	0	0	-
1	39-2	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	39-3	28AC	37 5/8" (956mm)	23 5/8" (600mm)	6.10	6.10	0.27	0.17	0.38	1.65	LOW-N-27-11258-00001
1	43	17MS	123 1/2" (3137mm)	121 1/2" (3086mm)	103.39	103.39	0.30	0.19	0.43	31.02	LOW-N-90-04418-00001
1	44	17MS	123 1/2" (3137mm)	121 1/2" (3086mm)	103.39	103.39	0.30	0.19	0.43	31.02	LOW-N-90-04418-00001
2	45-1	28AC	52 3/8" (1330mm)	82 11/16" (2100mm)	30.00	60.00	0.25	0.21	0.49	15.00	LOW-N-31-18660-00001

Qty	Line	Product	Width	Height	Sqft Per	Sqft Total	U-Value	SHGC	VT	Weighted Contribution	CPD Number
2	45-2	28AC	52 3/8" (1330mm)	82 11/16" (2100mm)	30.00	60.00	0.25	0.21	0.49	15.00	LOW-N-31-18660-00001
2	45-3	28AC	52 3/8" (1330mm)	23 5/8" (600mm)	8.50	17.00	0.27	0.17	0.38	4.59	LOW-N-27-11258-00001
2	45-4	28AC	52 3/8" (1330mm)	23 5/8" (600mm)	8.50	17.00	0.27	0.17	0.38	4.59	LOW-N-27-11258-00001
1	50-1	28AC	63" (1600mm)	82 11/16" (2100mm)	36.10	36.10	0.26	0.21	0.49	9.39	LOW-N-31-18670-00001
1	50-2	28AC	63" (1600mm)	23 5/8" (600mm)	10.30	10.30	0.27	0.17	0.38	2.78	LOW-N-27-11258-00001
1	53-1	28AC	63" (1600mm)	82 11/16" (2100mm)	36.10	36.10	0.26	0.21	0.49	9.39	LOW-N-31-18670-00001
1	53-2	28AC	63" (1600mm)	23 5/8" (600mm)	10.30	10.30	0.27	0.17	0.38	2.78	LOW-N-27-11258-00001
1	56	28AC	29 17/32" (750mm)	59 1/16" (1500mm)	12.10	12.10	0.27	0.17	0.38	3.27	LOW-N-25-11203-00001
1	57	28AC	29 17/32" (750mm)	59 1/16" (1500mm)	12.10	12.10	0.27	0.17	0.38	3.27	LOW-N-25-11203-00001
3	58	28AC	23 5/8" (600mm)	59 1/16" (1500mm)	9.60	28.80	0.27	0.17	0.38	7.78	LOW-N-25-11203-00001
2	59-1	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	29.00	0.27	0.17	0.38	7.83	LOW-N-25-11203-00001
2	59-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	29.00	0.25	0.19	0.44	7.25	LOW-N-31-18770-00001
2	59-3	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	29.00	0.27	0.17	0.38	7.83	LOW-N-25-11203-00001
2	63	28AC	23 5/8" (600mm)	59 1/16" (1500mm)	9.60	19.20	0.27	0.17	0.38	5.18	LOW-N-25-11203-00001
1	64	28AC	23 5/8" (600mm)	59 1/16" (1500mm)	9.60	9.60	0.27	0.17	0.38	2.59	LOW-N-25-11203-00001
1	65	28AC	23 5/8" (600mm)	59 1/16" (1500mm)	9.60	9.60	0.27	0.17	0.38	2.59	LOW-N-25-11203-00001
2	66-1	28AC	55 1/8" (1400mm)	59 1/16" (1500mm)	22.60	45.20	0.25	0.21	0.49	11.30	LOW-N-31-18660-00001
2	66-2	28AC	55 1/8" (1400mm)	23 5/8" (600mm)	9.00	18.00	0.27	0.17	0.38	4.86	LOW-N-27-11258-00001
4	69	28AC	55 1/8" (1400mm)	59 1/16" (1500mm)	22.60	90.40	0.27	0.17	0.38	24.41	LOW-N-27-11268-00001
1	70	28AC	19 11/16" (500mm)	55 1/8" (1400mm)	7.50	7.50	0.27	0.18	0.42	2.02	LOW-N-25-11083-00001
1	71	28AC	23 5/8" (600mm)	59 1/16" (1500mm)	9.60	9.60	0.27	0.17	0.38	2.59	LOW-N-25-11203-00001
1	72	18TD	36 3/8" (924mm)	97 13/32" (2474mm)	24.60	24.60	0.27	0.16	0.37	6.64	LOW-N-114-00138-00001
1	73	28AC	41 1/4" (1048mm)	59 1/16" (1500mm)	16.90	16.90	0.25	0.19	0.44	4.22	LOW-N-31-18780-00001
1	74	28AC	23 5/8" (600mm)	59 1/16" (1500mm)	9.60	9.60	0.27	0.17	0.38	2.59	LOW-N-25-11203-00001
1	75	28AC	23 5/8" (600mm)	41 1/4" (1048mm)	6.70	6.70	0.27	0.17	0.38	1.81	LOW-N-25-11203-00001
1	76	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	77-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	77-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	80-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	80-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	83-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	83-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	86-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	86-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	89-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	89-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	92-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	92-2	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001

Qty	Line	Product	Width	Height	Sqft Per	Sqft Total	U-Value	SHGC	VT	Weighted Contribution	CPD Number
1	95	18TD	36 3/8" (924mm)	97 13/32" (2474mm)	24.60	24.60	0.27	0.16	0.37	6.64	LOW-N-114-00138-00001
4	96	28AC	47 1/4" (1200mm)	59 1/16" (1500mm)	19.30	77.20	0.27	0.17	0.38	20.84	LOW-N-27-11258-00001
1	97	28AC	47 1/4" (1200mm)	47 1/4" (1200mm)	15.50	15.50	0.27	0.17	0.38	4.18	LOW-N-27-11258-00001
1	98-1	28AC	37 5/8" (956mm)	35 7/16" (900mm)	9.20	9.20	0.25	0.19	0.44	2.30	LOW-N-31-18770-00001
1	98-2	28AC	37 5/8" (956mm)	35 7/16" (900mm)	9.20	9.20	0.25	0.19	0.44	2.30	LOW-N-31-18770-00001
5	101	28AC	35 7/16" (900mm)	35 7/16" (900mm)	8.70	43.50	0.25	0.19	0.44	10.88	LOW-N-31-18770-00001
6	102	28AC	35 7/16" (900mm)	35 7/16" (900mm)	8.70	52.20	0.27	0.17	0.38	14.09	LOW-N-27-11258-00001
2	103	28AC	35 7/16" (900mm)	47 1/4" (1200mm)	11.60	23.20	0.25	0.19	0.44	5.80	LOW-N-31-18770-00001
1	104	28AC	29 17/32" (750mm)	59 1/16" (1500mm)	12.10	12.10	0.27	0.17	0.38	3.27	LOW-N-25-11203-00001
1	105	28AC	29 17/32" (750mm)	59 1/16" (1500mm)	12.10	12.10	0.27	0.17	0.38	3.27	LOW-N-25-11203-00001
2	106	28AC	29 17/32" (750mm)	59 1/16" (1500mm)	12.10	24.20	0.25	0.19	0.44	6.05	LOW-N-31-18770-00001
1	107-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	107-2	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	107-3	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	107-4	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	107-5	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.25	0.19	0.44	3.63	LOW-N-31-18770-00001
1	107-6	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	114-1	28AC	31 1/2" (800mm)	29 17/32" (750mm)	6.40	6.40	0.27	0.17	0.38	1.73	LOW-N-27-11258-00001
1	114-2	28AC	31 1/2" (800mm)	29 17/32" (750mm)	6.40	6.40	0.27	0.17	0.38	1.73	LOW-N-27-11258-00001
1	117	28AC	29 17/32" (750mm)	29 17/32" (750mm)	6.00	6.00	0.27	0.17	0.38	1.62	LOW-N-27-11258-00001
1	118	28AC	35 7/16" (900mm)	29 17/32" (750mm)	7.20	7.20	0.25	0.19	0.44	1.80	LOW-N-31-18770-00001
1	119	28AC	29 17/32" (750mm)	29 17/32" (750mm)	6.00	6.00	0.27	0.17	0.38	1.62	LOW-N-25-11203-00001
1	120	28AC	29 17/32" (750mm)	29 17/32" (750mm)	6.00	6.00	0.27	0.17	0.38	1.62	LOW-N-25-11203-00001
1	121-1	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	121-2	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	121-3	28AC	35 7/16" (900mm)	23 5/8" (600mm)	5.80	5.80	0.25	0.19	0.44	1.45	LOW-N-31-18770-00001
1	121-4	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
1	121-5	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.25	0.19	0.44	3.63	LOW-N-31-18770-00001
1	121-6	28AC	35 7/16" (900mm)	59 1/16" (1500mm)	14.50	14.50	0.27	0.17	0.38	3.92	LOW-N-25-11203-00001
2	128	28AC	35 7/16" (900mm)	70 7/8" (1800mm)	17.40	34.80	0.25	0.19	0.44	8.70	LOW-N-31-18770-00001
6	129	28AC	47 1/4" (1200mm)	59 1/16" (1500mm)	19.30	115.80	0.27	0.17	0.38	31.27	LOW-N-27-11258-00001
4	130	28AC	31 1/2" (800mm)	31 1/2" (800mm)	6.80	27.20	0.25	0.19	0.44	6.80	LOW-N-31-18770-00001
1	131	28AC	55 1/8" (1400mm)	55 1/8" (1400mm)	21.00	21.00	0.25	0.19	0.44	5.25	LOW-N-31-18770-00001
2	132	28AC	55 1/8" (1400mm)	23 5/8" (600mm)	9.00	18.00	0.25	0.19	0.44	4.50	LOW-N-31-18770-00001
2	133	28AC	55 1/8" (1400mm)	23 5/8" (600mm)	9.00	18.00	0.27	0.17	0.38	4.86	LOW-N-27-11258-00001

* Denotes a line item that has customization applied - rating must be verified.