
Augmentation Plan Applications

2 messages

Deb Bastian <dbastian@upperyampawater.com>
To: "Emeraldmtn01@gmail.com" <Emeraldmtn01@gmail.com>

Mon, Dec 11, 2023 at 11:23 AM

Bear,

As per our conversation, attached is the Augmentation Questionnaire and the Application. Complete the questionnaire only once as long as the information is the same for all the lots. However, as discussed, please complete an application form for each lot that will be drilled for a well.

In the application document, the **Input Data** tab must be completed. This will auto-fill the **Application Form** tab. Then review the information in the **Application Form** tab to verify that it auto-filled correctly. Then, the applicant must sign the application form (Page 3). This can be done electronically. Additionally, the following documents are required to be submitted with the augmentation application:

- Proof of ownership, such as:
 - Assessor's records (parcel number)
 - Title policy
 - Copy of deed
- Legal description and map of property boundary
- Map showing the proposed or actual point(s) of diversion
- Map showing point(s) of expected return flow to stream system
- Other documents noted in the "**Application Form**"

The completed, signed applications and required documents can be emailed to UYWCD@upperyampawater.com. Mail the application fee checks for **\$600** (per application) to the address noted below or contact me to schedule a time to drop off the check at the District Office. Upon receipt of the applications, required documents and application fees we will review the submissions and contact you with any questions or if we need additional information/documents.

Don't hesitate to contact us if you have any questions.

Thanks,

Deb

Deb Bastian

Business Manager

Upper Yampa Water Conservancy District

2220 Curve Plaza Ste. 201 | POB 775529 Steamboat Springs, CO 80477

Office: 970-871-1035 Ext: 7 | Direct: 970-638-3985 | Mobile: 970-819-0189



2 attachments



Augmentation Questionnaire v2-03.2023.pdf
643K



UYWCD_20230918_Application Form and DepletionCalcs_06CW49_15CW3058.xlsm
1172K

JAMES "BEAR" ACKERMAN <emeraldmtn01@gmail.com>
To: Deb Bastian <dbastian@upperyampawater.com>

Mon, Dec 11, 2023 at 12:05 PM

Received, thank you.

JAMES "BEAR" ACKERMAN, RLS

EMERALD MOUNTAIN SURVEYS, INC

PROFESSIONAL LAND SURVEYING, COLORADO & WYOMING

380 BEARVIEW CT

STEAMBOAT SPRINGS, CO., 80487

emeraldmtn01@gmail.com

1-970-879-8998 CELL 1-970-846-8300

[Quoted text hidden]



UPPER YAMPA WATER CONSERVANCY DISTRICT WATER AUGMENTATION CONTRACT QUESTIONNAIRE

Complete the questionnaire to determine if you are eligible to receive a water augmentation contract with the Upper Yampa Water Conservancy District (District), and if so, to identify what type of water augmentation contract you will need. If you are eligible, submit the completed questionnaire to the District at UYWCD@upperyampawater.com and request an augmentation application.

1. Contract Eligibility

A. Applicant

If you are applying as an individual(s), as opposed to a legal entity (corporation, partnership, LLC, etc.), can you provide evidence of lawful presence in the United States?

☐ Yes ☐ No

- If yes, you will be required to complete an **Affidavit-Restrictions on Public Benefits** form and provide proof of identification as required. If property is owned jointly, all individuals must execute the attached **Affidavit-Restrictions on Public Benefits** and provide proof of identification.

B. District Boundary

Is the location of the water use for which you are seeking a water augmentation contract within both the District's Boundary and **Service Area A in 06CW49 Yampa River (A1, A2, A3, A4)** (<https://upperyampawater.com/yampa-river-augmentation-plan/>) or **Service Area A in 15CW3058 (A-1 Elk River, A-2 Elk River)** (<https://upperyampawater.com/elk-river-augmentation-plan/>)?

☐ Yes

Which service area: ☐ Yampa ☐ Elk

☐ No

- If you answered **NO** to either of these questions, you are **not eligible** to receive a water augmentation contract from the District. If you answered **YES** to both questions, continue to **Part 2** of this questionnaire.

2. Contract Type

A. Type of Water Use

Commercial (*office, retail, restaurant, bar, warehouse, etc.*)

☐ Yes ☐ No

Industrial (*mining, power generation, etc.*)

☐ Yes ☐ No

Non-Commercial/Non-Industrial (*domestic, irrigation, recreation, livestock watering*)

☐ Yes ☐ No

B. Contract Size – Commercial/Industrial

Will your average daily water use be less than 15 gallons per minute (gpm)

☐ Yes ☐ No

For reference, a garden hose fully open flows at a rate of approximately 5 gpm

- If you answered **YES**, then you will need a **SMALL** water augmentation contract. Otherwise, you will need a **LARGE** water augmentation contract.

C. Contract Size – Non-Commercial/Non-Industrial

Will your average daily water use be less than 112 gpm?

☐ Yes ☐ No

Will your annual water use be less than 30 acre-feet (ac-ft)?

☐ Yes ☐ No

For reference, a single-family home with a 2,500 ft² lawn diverts approximately 0.5 ac-ft annually, and a pond with a surface area of 1.0 acre evaporates approximately 3.0 ac-ft annually.

- If you answered **YES** to both questions, then you will need a **SMALL** water augmentation contract. Otherwise, you will need a **LARGE** water augmentation contract.