ROUTT COUNTY
CERTIFICATE OF DESIGNATION
SOLID WASTE DISPOSAL SITE

In accordance with the provisions of C.R.S. § 30-20-100.5 *et seq,* Solid Wastes Disposal Sites and Facilities, the Routt County Board of County Commissioners hereby designates the following site for the disposal of solid waste:

20650 County Road 205, approximately 1 mile southwest of Milner, described in Exhibit A attached hereto.

Type of Facility: Solid Waste Disposal, Compost Processing, and Recycling

Name of Owner/Operator: Twin Landfill Corporation, P.O. Box 774362, Steamboat Springs, CO 80477

Subject to the General and Specific Conditions set forth in the Special Use Permit #PL20210002, (Exhibit B) attached hereto, and any subsequent amendments.

Issued this 20th day of April, 2022, Steamboat Springs, Routt County, Colorado

Certificate of Designation issued by the **Routt County Board of Commissioners**:

B. Melton 4/20/22

M. Elizabeth Melton, Chair Date

ATTEST:

ROUTT COUNTY SEAL 1877 COLORADO

Jenny Thomas, Clerk and Recorder Date

by Sarah Hagmaier Deputy

Exhibit A

Legal Description of the Twin Landfill Property located in S 1/2, Section 16, N 1/2 Section 21, Township 6 North, Range 86 West, of the 6th, PM, Routt County, Colorado, and more particularly described as follows,

Beginning at a point on the north line of said Section 21 from which the southwest corner of said Section 16 bears N 89°52'23"W 2266.80 feet,

thence N 00°20'28" W a distance of 31.33 feet;
thence South 61°34'19" West a distance of 33.58 feet;
thence South 36°06'24" West a distance of 18.88 feet;
thence North 89°52'23" West a distance of 37.07 feet;
thence South 36°06'24" West a distance of 80.48 feet;
thence South 13°31'09" West a distance of 167.78 feet;
thence North 31°25'01" West a distance of 273.43 feet;
thence North 39°48'14" East a distance of 476.26 feet;
thence North 00°20'28" West a distance of 1757.41 feet;
thence along the south line of a parcel of land which is described in Book 282 at page 546 of the Routt County Clerk and Recorder's Records North 88°26'13" East a distance of 908.57 feet;
thence continuing along the south line of a parcel of land which is described in Book 282 at page 546 of the Routt Count y Clerk and Recorder's Records North 88°04'55" East a distance of 930.93 feet to the southeasterly side of the existing access road;
thence along the said southeasterly side of the existing access road South 21°07'18" West a distance of 89.32 feet;
thence continuing along the said southeasterly side of the existing access road South 32°04'20" West a distance of 53.87 feet;
thence continuing along the said southeasterly side of the existing access road South 40°17'55" West a distance of 110.82 feet;
thence continuing along the said southeasterly side of the existing access road South 53°59'42" West a distance of 126.76 feet;
thence continuing along the said southeasterly side of the existing access road South 66°22'43" West a distance of 152.13 feet;
thence S 00°22'09" E a distance of 157.95 feet;
thence N 89°37'51" E a distance of 200.00 feet;
thence S 00°24'31" E a distance of 335.98 feet;
thence N 89°42'24" E a distance of 668.62 feet;
thence S 00°28'56" E a distance of 1175.36 feet;
thence S 00°29'02" E a distance of 172.10 feet;
thence N 89°59'54" W a distance of 335.23 feet;
thence S 00°53'28" W a distance of 680.48 feet;
thence S 89°45'54" W a distance of 334.80 feet;

thence S 11°53'33" W a distance of 490.21 feet;
thence S 24°2321" W a distance of 600.36 feet;
thence S 89°22'42" W a distance of 333.97 feet;
thence S 89°22'42" W a distance of 667.94 feet;
thence S 89°25'00" W a distance of 326.71 feet;
thence N 00°46'09" E a distance of 1723.56 feet to the Point of Beginning;
containing 171.91 acres more or less.

Bearings are based west line of the southwest 1/4 Section 16 as being S 00°54' 26" E, being marked on the each end by a standard GLO Brass Cap. Assumed